


TYPICAL LIGHTWEAR SHOE



RESISTANCE PERFORMANCE METER KEY



A Abrasion Resistance
The degree to which the shoe is unaffected by cuts, scratches, slices, etc.

S Slip Resistance
The amount of extra traction that guards against slippage and related injuries.

H₂O Water Resistance
The ability to withstand saturation and water-related damage over time.

O/A Oil & Acid Resistance
The extent to which the shoe withstands damaging exposure to oils and corrosive substances.

H Heat Resistance
The measure of resisted heat damage and simultaneous provided protection.

LIGHTWEAR

UTILITY - Versatile, practical starter shoes for light work environments.



♂ Multi / 71441



A benchmark safety shoe covering all the basics.



Available in black
Sizes: 5-13



- Single density PU sole
- Heat resistant up to 95 degrees Celsius
- Steel toe cap
- Energiser top sock for additional comfort

- Genuine leather upper
- Kevlar penetration resistant midsole option available
- SANS/ISO 20345
- ANTISTATIC

Safety Features



♂ Adapt / 71442



A durable, entry-level safety boot.

Available in black
Sizes: 5-13



- Single density PU sole.
- Heat resistant up to 95 degrees Celsius
- Steel toe cap
- Energiser top sock for additional comfort

- Genuine leather upper
- Kevlar penetration resistant midsole option available
- SANS/ISO 20345
- ANTISTATIC

Safety Features



LIGHTWEAR

OFFICEPLUS - Ideal for mobile admin, moving regularly between office and on-site.



♂ Prowler / 71590



A highly versatile slip-resistant occupational shoe.

Available in black
Sizes: 5-13



- Single density PU sole
- Heat resistant up to 95 degrees Celsius
- No steel toe cap (Steel toe cap available on request)
- Energiser top sock and padded collar for additional comfort
- Three pair eyelet lace up
- Full grain leather upper
- Kevlar penetration resistant midsole option available
- SANS/ISO 20347
- ANTISTATIC

Safety Features



Abrasion Resistance



Heat Resistance



Water Resistance



Slip Resistance



Oil & Acid Resistance

Consult the oil and acid resistance table at the back



♂ Rockee / 71486



A cool, lightweight safety sandal.

Available in black
Sizes: 5-12



- Single density PU sole.
- Heat resistant up to 95 degrees Celsius
- Steel toe cap
- Energiser top sock for additional comfort
- Full grain leather upper
- Kevlar penetration resistant midsole option available
- SANS/ISO 20345
- ANTISTATIC

Safety Features



Abrasion Resistance



Heat Resistance



Water Resistance



Slip Resistance



Oil & Acid Resistance

Consult the oil and acid resistance table at the back

LIGHTWEAR

EXECUTIVE - Suitably smart for the boardroom; tough enough for site tours.



♂ Cambridge / 70004




A stylish slip-on Executive shoe with overlay.
Available in black
Sizes: 5-12



- Single density PU sole
- Heat resistant up to 95 degrees Celsius
- Steel toe cap
- Elastic side gussets for extra comfort
- Energiser top sock for additional comfort
- Full grain leather upper
- SANS/ISO 20345
- ANTISTATIC

Safety Features



♂ Jarman / 70003




A professional, upmarket safety shoe.
Available in black
Sizes: 5-12



- Single density PU sole
- Heat resistant up to 95 degrees Celsius
- Steel toe cap
- Energiser top sock for additional comfort
- Four pair eyelet lace up
- Full grain leather upper
- SANS/ISO 20345
- ANTISTATIC

Safety Features



LIGHTWEAR

EXECUTIVE - Suitably smart for the boardroom; tough enough for site tours.



♂ Oxford / 70006



A fashionable Oxford-style safety shoe.

Available in black
Sizes: 5-12



- Single density PU sole
- Heat resistant up to 95 degrees Celsius
- Steel toe cap
- Energiser top sock for additional comfort

- Five pair eyelet lace up
- Full grain leather upper
- SANS/ISO 20345
- ANTISTATIC

Safety Features



♂ Oxford Hs (High Shine) / 70007



An executive safety shoe with high shine leather.


Available in black
Sizes: 5-12



- Single density PU sole
- Heat resistant up to 95 degrees Celsius
- Steel toe cap
- Energiser top sock for additional comfort

- Five pair eyelet lace up
- Full grain leather upper
- SANS/ISO 20345
- ANTISTATIC

Safety Features



HEAVYWEAR

CORE - Entry level heavywear that provides the safety essentials. Ideal for bulk purchase.



♂ Hamburg / 90008



A comfortable and protective safety shoe in a trendsetting suede style.

Available in black
Sizes: 4-12

- Double density PU/PU sole
- Heat resistant up to 95 degrees Celsius
- Steel toe cap
- Energiser top sock for additional comfort
- Suede leather upper
- Steel or kevlar penetration resistant midsole option available
- SANS/ISO 20345
- ANTISTATIC



Safety Features




Abrasion Resistance



Heat Resistance



Water Resistance



Slip Resistance



Oil & Acid Resistance
Consult the oil and acid resistance table at the back



♂ Radical / 60001



A durable working shoe with genuine leather upper.

Available in black
Sizes: 4-13

- Double density PU/PU sole
- Heat resistant up to 95 degrees Celsius
- Steel toe cap
- Padded bellow's tongue for extra comfort
- Energiser top sock for additional comfort
- Genuine leather upper
- Steel or kevlar penetration resistant midsole option available
- SANS/ISO 20345
- ANTISTATIC



Safety Features



Abrasion Resistance




Heat Resistance



Water Resistance



Slip Resistance



Oil & Acid Resistance
Consult the oil and acid resistance table at the back

HEAVYWEAR

CORE - Entry level heavywear that provides the safety essentials. Ideal for bulk purchase.



♂ Maverick / 60002




A rugged, hard-wearing safety boot with genuine leather upper.

Available in black
Sizes: 4-13

- Double density PU/PU sole
- Heat resistant up to 95 degrees Celsius
- Steel toe cap
- Padded bellow's tongue for extra comfort
- Energiser top sock for additional comfort
- Genuine leather upper
- Steel or kevlar penetration resistant midsole available
- SANS/ISO 20345
- ANTISTATIC



Safety Features



♂ Neoflex / 90004




A high-wearing safety boot with all-leather upper and bellow's tongue.

Available in black and richmond
Sizes: 3-15

- Double density PU/PU sole
- Heat resistant up to 95 degrees Celsius
- Steel toe cap
- Energiser top sock for additional comfort
- Engineered with a rear reflective tab
- Full grain leather upper
- Steel or kevlar penetration resistant midsole available
- SANS/ISO 20345
- ANTISTATIC



Safety Features



HEAVYWEAR

TRAX - Advanced comfort support for workers on their feet all day.



♂ Bremen / 20001

A comfortable safety shoe with anti-fatigue engineering.


Available in black and brown

Sizes: 5-13



- Double density PU/PU sole
- Heat resistant up to 95 degrees Celsius
- Extra-wide fitting steel toe cap
- Padded bellow's tongue for extra comfort
- Engineered with a Poron insert at the heel and forepart for additional comfort
- Poron/EVA cushioned top sock for additional comfort
- Generous styled upper for increased foot space
- Full grain leather upper
- Approved by the Podiatry Association of South Africa
- Steel or kevlar penetration resistant midsole available
- SANS/ISO 20345
- ANTISTATIC

Safety Features



♂ Munich / 20002

A hard-wearing safety boot with anti-fatigue engineering.


Available in black and brown

Sizes: 5-13



- Double density PU/PU sole
- Heat resistant up to 95 degrees Celsius
- Extra-wide fitting steel toe cap
- Padded bellow's tongue for extra comfort
- Generous styled upper for increased foot space
- Engineered with a Poron insert at the heel and forepart for additional comfort
- Poron/EVA cushioned top sock for additional comfort
- Full grain leather upper
- Approved by the Podiatry Association of South Africa
- Steel or kevlar penetration resistant midsole available
- SANS/ISO 20345
- ANTISTATIC

Safety Features



HEAVYWEAR

TRAX - Advanced comfort support for workers on their feet all day.



♂ Trainer / 60012



A versatile lace-up safety shoe in a comfy sport style.



Available in black and walnut

Sizes: 4-12

- Double density PU/PU sole
- Heat resistant up to 95 degrees Celsius
- Steel toe cap
- Padded tongue and collar for extra comfort
- Full grain leather upper
- Steel or kevlar penetration resistant midsole available
- SANS/ISO 20345
- ANTISTATIC



Safety Features



♂ Health Sandal / 20011



A safety sandal recommended for individuals with Diabetes.

Available in brown

Sizes: 5-12

- Double density PU/PU sole
- Heat resistant up to 95 degrees Celsius
- Steel toe cap
- Engineered with a Poron insert at the heel and forepart for additional comfort
- Gelonair top sock for enhanced circulation
- Full grain leather upper
- Approved by the Podiatry Association of South Africa
- Steel or kevlar penetration resistant midsole available
- SANS/ISO 20345
- ANTISTATIC



Safety Features



EXTREMEWEAR

EXTREME SLIP - Enhanced protection against the most slippery conditions.



♂ Rocna / 41601




A stylish safety shoe with sporty yellow trim. For protection against extreme environments and slippery conditions.

Available in black
Sizes: 4-13



- Double density PU / Vibram® rubber sole
- Heat resistant up to 300 degrees Celsius
- New design extra-wide fitting steel toe cap
- Padded collar for comfort, protection and ankle support
- Full grain leather upper
- Poron/EVA cushioned top sock for additional comfort
- Approved by the Podiatry Association of South Africa
- Kevlar penetration resistant midsole available (SRC approved)
- SANS/ISO 20345
- NON-CONDUCTIVE

Safety Features



♂ Droque / 41602




A stylish and comfortable safety boot with non-conductive sole. Engineered to protect against slippery conditions.

Available in black
Sizes: 4-13



- Double density PU / Vibram® rubber sole
- Heat resistant up to 300 degrees Celsius
- New design extra-wide fitting steel toe cap
- Padded collar for comfort, protection and ankle support
- Full grain leather upper
- Poron/EVA cushioned top sock for additional comfort
- Approved by the Podiatry Association of South Africa
- Kevlar penetration resistant midsole available (SRC approved)
- SANS/ISO 20345
- NON-CONDUCTIVE

Safety Features



EXTREMEWEAR

EXTREME SLIP - Enhanced protection against the most slippery conditions.



♂ Nebula / 41603



A stylish and comfortable high-top safety boot engineered with tough conditions in mind. Ideal for slippery environments.

Available in brown
Sizes: 4-13



- Double density PU / Vibram® rubber sole
- Heat resistant up to 300 degrees Celsius
- New design extra-wide fitting steel toe cap
- Padded collar for comfort, protection and ankle support
- Full grain leather upper
- Poron/EVA cushioned top sock for additional comfort
- Approved by the Podiatry Association of South Africa
- Kevlar penetration resistant midsole available (SRC approved)
- SANS/ISO 20345
- NON-CONDUCTIVE

Safety Features



Abrasion Resistance
1 2 3 4 5



Heat Resistance
1 2 3 4 5



Water Resistance
1 2 3 4 5



Slip Resistance
1 2 3 4 5



Oil & Acid Resistance
1 2 3 4 5



♂ Sierra / 41604



A highly fashionable, non-conductive safety boot for harsh environments and slippery conditions.

Available in tan
Sizes: 4-13



- Double density PU / Vibram® rubber sole
- Heat resistant up to 300 degrees Celsius
- New design extra-wide fitting steel toe cap
- Padded collar for comfort, protection and ankle support
- Full grain leather upper
- Poron/EVA cushioned top sock for additional comfort
- Approved by the Podiatry Association of South Africa
- Kevlar penetration resistant midsole available (SRC approved)
- SANS/ISO 20345
- NON-CONDUCTIVE

Safety Features



Abrasion Resistance
1 2 3 4 5



Heat Resistance
1 2 3 4 5



Water Resistance
1 2 3 4 5



Slip Resistance
1 2 3 4 5



Oil & Acid Resistance
1 2 3 4 5

EXTREMEWEAR

EXTREME TEMP - Insulated protection against severe heat and cold.



♂ Metaguard / 42005

An insulated safety boot with combination spat and metatarsal protection.

Available in black
Sizes: 4-13



- Double density PU/Rubber sole
- Heat resistant up to 300 degrees Celsius
- Steel toe cap
- Padded collar and 1/2 padded bellow's tongue for extra comfort, protection and ankle support
- Engineered with a spat covering to prevent hot metal burns and exposure to sparks
- Full grain leather upper
- Kevlar penetration resistant midsole option available
- SANS/ISO 20345
- NON-CONDUCTIVE



Safety Features



Abrasion Resistance



Heat Resistance



Water Resistance



Slip Resistance



Oil & Acid Resistance



♂ Smelters Buckle / 42007

A buckled safety boot with heat-resistant Kevlar for smelting plants.

Available in black
Sizes: 4-13



- Double density PU/Rubber sole
- Heat resistant up to 300 degrees Celsius
- Aluminium toe cap
- The vamp lining and the quarter padding are cut from a special Kevlar blend material in order to reflect all radiant heat away from the foot
- Heat resistant Kevlar stitching which withstands temperatures up to 425 degrees Celsius radiant heat
- Full grain leather upper
- Kevlar penetration resistant midsole option available
- SANS/ISO 20345
- NON-CONDUCTIVE



Safety Features



Abrasion Resistance



Heat Resistance



Water Resistance



Slip Resistance



Oil & Acid Resistance



RAPTOR



Hawk
Style No: 8024

Hawk SMS
Style No: 8034
SANS 20345
Toecap: Extra wide Steel
Toecap 200j
Sizes: 5-12
Sole: Raptor Sole Unit



Eagle
Style No: 8025

Eagle SMS
Style No: 8035
SANS 20345
Toecap: Extra wide Steel
Toecap 200j
Sizes: 5-12
Sole: Raptor Sole Unit



Falcon
Style No: 8026

SANS 20345
Toecap: Extra wide Steel Toecap 200j
Sizes: 5-12
Sole: Raptor Sole Unit



Vulture
Style No: 8029

SANS 20345
Toecap: Extra wide Steel
Toecap 200j
Sizes: 5-12
Sole: Raptor Sole Unit



Kite
Style No: 8044

SANS 20345
Toecap: Extra wide Steel
Toecap 200j
Sizes: 5-12
Sole: Raptor Sole Unit



Owl
Style No: 8045

SANS 20345
Toecap: Extra wide Steel
Toecap 200j
Sizes: 5-12
Sole: Raptor Sole Unit



Condor
Style No: 8047

SANS 20345
Toecap: Extra wide Steel Toecap 200j
Sizes: 5-12
Sole: Raptor Sole Unit



Hercules NTC
Style No: 8048

Hercules STC
Style No: 8049
SANS 20345
Toecap: Extra wide Steel Toecap 200j
Sizes: 5-12
Sole: Raptor Sole Unit



Sole construction
Raptor Sole Unit

APOLLO



NTC Clog
Style No: 8007

STC Clog
Style No: 8008
SANS 20345
Toecap: Wide Steel Toecap 200j
Sizes: 2-12
Sole: Apollo Sole Unit



Striker
Style No: 8037

SANS 20345
Toecap: Wide Steel Toecap 200j
Sizes: 5-12
Sole: Apollo Sole Unit



Security Boot NTC
Style No: 8040

Security Boot STC
Style No: 8041
Security Boot STC SMS
Style No: 8042
SANS 20345
Toecap: Wide Steel Toecap 200j
Sizes: 2-12
Sole: Apollo Sole Unit

Coming Soon



Sport
Style No: 8050

SANS 20345
Toecap: Wide Steel Toecap 200j
Sizes: 2-12
Sole: Apollo Sole Unit



Limpopo
Style No: 8560

SANS 20345
Toecap: Wide Steel Toecap 200j
Sizes: 2-12
Sole: Apollo Sole Unit



Team
Style No: 8090

SANS 20345
Toecap: Wide Steel Toecap 200j
Sizes: 2-12
Sole: Apollo Sole Unit

L
LADIES

M
MENS

U
UNISEX



Sole construction
Apollo Sole Unit



Galaxy
Style No: 8095

SANS 20345
Toecap: Wide Steel Toecap 200j
Sizes: 5-12
Sole: Apollo Sole Unit

NTC
No Toecap
STC
Steel Toecap
SMS
Steel Mid Sole available
on all styles as made to order

PARABOLIC



Odyssey
Style No: 8000

SANS 20345
Toecap: Extra wide Steel
Toecap 200j
Sizes: 5-12
Sole: Parabolic Sole Unit



Nomad
Style No: 8001

SANS 20345
Toecap: Extra wide Steel
Toecap 200j
Sizes: 5-12
Sole: Parabolic Sole Unit



Quest
Style No: 8002

SANS 20345
Toecap: Extra wide Steel
Toecap 200j
Sizes: 5-12
Sole: Parabolic Sole Unit



Explorer
Style No: 8004

SANS 20345
Toecap: Extra wide Steel
Toecap 200j
Sizes: 5-12
Sole: Parabolic Sole Unit



Hunter
Style No: 8006

SANS 20345
Toecap: Extra wide Steel
Toecap 200j
Sizes: 5-12
Sole: Parabolic Sole Unit



Outeniqua
Style No: 8013

SANS 20345
Toecap: Extra wide Steel
Toecap 200j
Sizes: 5-12
Sole: Parabolic Sole Unit



Maluti
Style No: 8016

SANS 20345
Toecap: Extra wide Steel
Toecap 200j
Sizes: 5-12
Sole: Parabolic Sole Unit



Sole construction
Parabolic Sole Unit

MAXECO

M



Eros
Style No: 8010

SANS 20345
Toecap: Wide Steel Toecap 200j
Sizes: 5-12
Sole: Maxeco Sole Unit

U



Maxeco
Style No: 8031

Maxeco SMS
Style No: 8011
Trojan NTC
Style No: 8060
SANS 20345
Toecap: Wide Steel Toecap 200j
Sizes: 3-13
Sole: Maxeco Sole Unit

M



Turtle
Style No: 8032

SANS 20345
Toecap: Wide Steel Toecap 200j
Sizes: 5-12
Sole: Maxeco Sole Unit

U



Robust
Style No: 8102

Frontier NTC
Style No: 8091
SANS 20345
Toecap: Wide Steel Toecap 200j
Sizes: 3-13
Sole: Maxeco Sole Unit

M



Zeus
Style No: 8117

Zeus NTC
Style No: 8118
SANS 20345
Toecap: Wide Steel Toecap 200j
Sizes: 5-12
Sole: Maxeco Sole Unit

M



Chainsaw
Style No: 8033

SANS 20345
Toecap: Wide Steel Toecap 200j
Sizes: 3-13
Sole: Maxeco Sole Unit

L
LADIES

M
MENS

U
UNISEX



NTC
No Toecap
STC
Steel Toecap
SMS
Steel Mid Sole available
on all styles as made to order

Sole construction
Maxeco Sole Unit

WWW.SALMER.CO.ZA



**SAFETY
FOOTWEAR**

LADIES RANGE

Court / 53001



* Please refer to the PU chemical resistance table on page 20

Sizes: 2 - 9

Colour: Black

Features:

- Single density PU sole
- Heat resistant up to 95° Celsius
- Available with and without a steel toe cap
- Full grain leather upper

- Padded quarter for extra comfort
- Standard with a woollen topsock for added comfort
- SANS 20345
- Antistatic

Coral / 53002



* Please refer to the PU chemical resistance table on page 20

Sizes: 2 - 9

Colour: Black and grey with either a pink or black suede overlay.

Features:

- Single density PU sole
- Heat resistant up to 95° Celsius
- Standard with a steel toe cap
- Four pair eyelet lace-up

- Full grain leather upper with either a black or pink suede overlay
- Padded collar for extra comfort
- Standard with a woollen topsock for added comfort
- SANS 20345
- Antistatic

Venice / 51002



* Please refer to the PU chemical resistance table on page 20

Sizes: 3 - 8

Colour: Black

Features:

- Single density PU sole
- Heat resistant up to 95° Celsius
- Available with and without a steel toe cap

- Four pair eyelet lace-up
- Full grain leather upper
- Padded collar and tongue for extra comfort
- Standard with a woollen topsock for added comfort
- Kevlar midsole option available
- SANS 20345
- Antistatic

Paris / 51003



* Please refer to the PU chemical resistance table on page 20

Sizes: 3 - 8

Colour: Black

Features:

- Single density PU sole
- Heat resistant up to 95° Celsius
- Available with and without a steel toe cap

- Elastic side gussets for additional comfort
- Full grain leather upper
- Padded collar and tongue for extra comfort
- Standard with a woollen topsock for added comfort
- SANS 20345
- Antistatic

Madonna / 51004



* Please refer to the PU chemical resistance table on page 20

Sizes: 3 - 8

Colour: Black with purple stitching

Features:

- Single density PU sole
- Heat resistant up to 95° Celsius
- Standard with a steel toe cap
- Four pair eyelet lace-up

- Leather upper
- Padded collar and tongue for extra comfort
- Standard with a woollen topsock for added comfort
- SANS 20345
- Antistatic

Sydney / 51005



* Please refer to the PU chemical resistance table on page 20

Sizes: 3 - 8

Colour: Black / Brown

Features:

- Single density PU sole
- Heat resistant up to 95° Celsius
- Available with and without a steel toe cap

- Full grain leather upper
- Engineered with pull strap for ease of pulling the shoe on
- Elastic side gussets for additional comfort
- Standard with a woollen topsock for added comfort
- SANS 20345
- Antistatic

Nicole / 54001



ABRASION



WATER



HEAT



SLIP



CHEMICAL*

Sizes: 2 - 9

Colour: Black

Features:

- Dual density PU sole
- Heat resistant up to 95° Celsius
- Available with and without a steel toe cap
- Four pair eyelet lace-up
- Full grain leather upper

- Padded around the collar for extra comfort
- Standard with a woollen topsock for added comfort
- Kevlar midsole option available
- These shoes are based on a male mould to accommodate women with wider feet
- SANS 20345
- Antistatic

* Please refer to the PU chemical resistance table on page 20

Cate / 54002



ABRASION



WATER



HEAT



SLIP



CHEMICAL*

Sizes: 2 - 9

Colour: Black

Features:

- Dual density PU sole
- Heat resistant up to 95° Celsius
- Available with and without a steel toe cap
- Three pair metal D-ring lace-up with one pair metal hooks

- Full grain leather upper
- Padded tongue and collar for extra comfort
- Standard with a woollen topsock for added comfort
- Kevlar midsole option available
- These shoes are based on a male mould to accommodate women with wider feet
- SANS 20345
- Antistatic

* Please refer to the PU chemical resistance table on page 20

Angelina / 55003



* Please refer to the PU chemical resistance table on page 20

Sizes: 3 - 8

Colour: Black with blue trim

Features:

- Dual density PU sole
- Heat resistant up to 95° Celsius
- Standard with a steel toe cap
- Five pair eyelet lace-up
- Leather and synthetic upper

- Padded collar and tongue for extra comfort
- Standard with a woollen topsock for added comfort
- Kevlar midsole option available
- Test results pending at time of print
- Antistatic

Selena / 55011



* Please refer to the PU chemical resistance table on page 20

Sizes: 3 - 8

Colour: Black

Features:

- Dual density PU sole
- Heat resistant up to 95° Celsius
- Standard with steel toe cap
- Four pair eyelet lace-up
- Leather upper

- Padded collar for extra comfort
- Standard with a woollen topsock for added comfort
- Kevlar midsole option available
- SANS 20345
- Antistatic

Jennifer / 55005



ABRASION



WATER



HEAT



SLIP



CHEMICAL*

* Please refer to the PU chemical resistance table on page 20

Sizes: 3 - 8

Colour: Black with pink trim.

Features:

- Dual density PU sole
- Heat resistant up to 95° Celsius
- Available with and without a steel toe cap
- Five pair eyelet lace-up

- Leather upper
- Padded collar and tongue for extra comfort
- Standard with a woollen topsock for added comfort
- Kevlar midsole option available
- SANS 20345
- Antistatic

Reese / 55006



ABRASION



WATER



HEAT



SLIP



CHEMICAL*

* Please refer to the PU chemical resistance table on page 20

Sizes: 3 - 8

Colour: Black with pink trim.

Features:

- Dual density PU sole
- Heat resistant up to 95° Celsius
- Standard with steel toe cap
- Seven pair eyelet lace-up
- Leather upper

- Padded collar and tongue for extra comfort
- Standard with a woollen topsock for added comfort
- Kevlar midsole option available
- SANS 20345
- Antistatic



GEO-COUNTESS | 3905

Features:

Size Range: 2 - 8

Colour: Black

Sole: Frams Level 2 PU Dual Density Sole for Improved Comfort

Heat Resistance: Up to 95° Celsius

Upper: Genuine Leather

Tongue: Padded Bellow's Tongue

Accreditation: EN 20345

Guarantee: 6 Months Fair Wear and Tear*



Oil & Acid Resistance: Refer to table on page 22

*T's and C's apply



GEO-EMPRESS | 3915

Features:

Size Range: 2 - 8

Colour: Black

Sole: Frams Level 2 PU Dual Density Sole for Improved Comfort

Heat Resistance: Up to 95° Celsius

Upper: Genuine Leather

Tongue: Padded Bellow's Tongue

Accreditation: EN 20345

Guarantee: 6 Months Fair Wear and Tear*



Oil & Acid Resistance: Refer to table on page 22

*T's and C's apply



THERMO-IRON | 6337*

Features:

Size Range: 5 - 13

Colour: Black

Sole: Vulcanised Rubber

Heat Resistance: Up to 300° Celsius

Upper: Genuine Leather - Split Military Print Leather

Accreditation: SANS/ISO 20345

Guarantee: 6 Months Fair Wear and Tear**



Oil & Acid Resistance: Refer to table on page 22

*Made to order

**T's and C's apply



THERMO-GRIP | 6151*

Features:

Size Range: 5 - 13

Colour: Black

Sole: Vulcanised Rubber

Heat Resistance: Up to 300° Celsius

Upper: Genuine Leather - Split Military Print Leather

Accreditation: SANS/ISO 20345

Guarantee: 6 Months Fair Wear and Tear**



Oil & Acid Resistance: Refer to table on page 22

*Made to order

**T's and C's apply



THERMO-FIRE | 6171*

Features:

Size Range: 5 - 12

Colour: **Black**

Sole: **Vulcanised Rubber**

Heat Resistance: **Up to 300° Celsius**

Upper: **Genuine Leather - Split Military Print Leather**

Accreditation: **SANS/ISO 20345**

Guarantee: **6 Months Fair Wear and Tear****



Oil & Acid Resistance: Refer to table on page 22

*Made to order

**T's and C's apply



THERMO-FORCE | 6612*

Features:

Size Range: 5 - 13

Colour: **Black**

Sole: **Vulcanised Rubber**

Heat Resistance: **Up to 300° Celsius**

Upper: **Genuine Leather - Split Military Print and Smooth Leather**

Accreditation: **SANS/ISO 20345**

Guarantee: **6 Months Fair Wear and Tear****



Oil & Acid Resistance: Refer to table on page 22

*Made to order

**T's and C's apply



THERMO-STRIKE | 7671*

Features:

Size Range: 5 - 13

Colour: Black

Sole: Vulcanised Rubber

Heat Resistance: Up to 300° Celsius

Upper: Genuine Leather - Split Military Print Leather

Accreditation: SANS/ISO 20345

Guarantee: 6 Months Fair Wear and Tear**



Oil & Acid Resistance: Refer to table on page 22

*Made to order

**T's and C's apply



THERMO-DRILL | 7661*

Features:

Size Range: 5 - 13

Colour: Black

Sole: Vulcanised Rubber

Heat Resistance: Up to 300° Celsius

Upper: Genuine Leather - Split Military Print Leather

Accreditation: SANS/ISO 20345

Guarantee: 6 Months Fair Wear and Tear**



Oil & Acid Resistance: Refer to table on page 22

*Made to order

**T's and C's apply



THERMO-ICE | 5132*

Features:

Size Range: 5 - 13

Colour: Brown

Sole: Vulcanised Rubber

Heat Resistance: Up to 300° Celsius

Upper: Genuine Leather - Split Military Print Leather

Accreditation: SANS/ISO 20345

Guarantee: 6 Months Fair Wear and Tear**



Oil & Acid Resistance: Refer to table on page 22

*Made to order

**T's and C's apply



THERMO-PULSE | 7122*

Features:

Size Range: 5 - 13

Colour: Brown

Sole: Vulcanised Rubber

Heat Resistance: Up to 300° Celsius

Upper: Genuine Leather - Split Military Print Leather

Accreditation: SANS/ISO 20345

Guarantee: 6 Months Fair Wear and Tear**



Oil & Acid Resistance: Refer to table on page 22

*Made to order

**T's and C's apply